

Package: sugarbag (via r-universe)

September 5, 2024

Title Create Tessellated Hexagon Maps

Version 0.1.8

Description Create a hexagon tile map display from spatial polygons. Each polygon is represented by a hexagon tile, placed as close to it's original centroid as possible, with a focus on maintaining spatial relationship to a focal point. Developed to aid visualisation and analysis of spatial distributions across Australia, which can be challenging due to the concentration of the population on the coast and wide open interior.

URL <https://srkobakian.github.io/sugarbag/>,
<https://github.com/srkobakian/sugarbag>

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 3.5.0), dplyr (>= 1.0.0)

Imports geosphere (>= 1.5), ggplot2, progress (>= 1.2.2), purrr (>= 0.3.4), rlang (>= 1.0.4), rmapshaper (>= 0.4.6), sf (>= 1.0-8), tibble (>= 3.1.7), tidyr (>= 1.2.0)

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Suggests knitr, pkgdown, rmarkdown, testthat (>= 2.1.0)

VignetteBuilder knitr

Repository <https://srkobakian.r-universe.dev>

RemoteUrl <https://github.com/srkobakian/sugarbag>

RemoteRef HEAD

RemoteSha e0c3cfc9e9fd2fec744dd3f8ce919b68094bb838

Contents

allocate	2
capital_cities	3
closest_focal_point	4
create_buffer	5
create_centroids	5
create_grid	6
create_hexmap	7
filter_grid_points	8
fortify_hexagon	9
fortify_sfc	9
fp19	10
geom_sugarbag	11
homeless	12
read_shape	13
tas_lga	14
tas_lga_hexctr	14
tas_sa2	15
Index	16

allocate	<i>Allocate polygon centroids to hexagons in a grid</i>
----------	---

Description

Chooses a hexagon centroid for each polygon in the shape file, from a grid spanning the longitudes and latitudes in the expanded bounding box.

Usage

```
allocate(
  centroids,
  hex_grid,
  sf_id = names(centroids)[1],
  hex_size,
  hex_filter,
  focal_points = NULL,
  order_sf_id = NULL,
  width = 30,
  verbose
)
```

Arguments

centroids	a data frame with centroids of non empty polygons
hex_grid	a data frame containing all possible hexagon points
sf_id	a string to indicate the column to identify individual polygons
hex_size	a float value in degrees for the diameter of the hexagons
hex_filter	amount of hexagons around centroid to consider
focal_points	a data frame of reference locations when allocating hexagons, capital cities of Australia are used in the example
order_sf_id	a string to indicate the column used to order polygons
width	a numeric indicating the angle used to filter the hexagon grid
verbose	a boolean to indicate whether to show polygon id

Value

a data frame of all allocated hexagon points

Examples

```
# Create centroids set
centroids <- create_centroids(tas_lga, sf_id = "lga_code_2016")
# Smaller set for faster example
centroids <- centroids[1:10,]
# Create hexagon location grid
data(capital_cities)
grid <- create_grid(centroids = centroids, hex_size = 0.2, buffer_dist = 1.2)
# Allocate polygon centroids to hexagon grid points
hex_allocated <- allocate(
  centroids = centroids,
  hex_grid = grid,
  hex_size = 0.2, # same size used in create_grid
  hex_filter = 3,
  focal_points = capital_cities,
  width = 30,
  verbose = TRUE
)
# NEXT:
# create a set of hexagon points for plotting
# using fortify_hexagon, and
# plot the hexagons with geom_polygon, see vignette
```

capital_cities

The point locations of Australian capital cities.

Description

A dataset containing the longitude and latitude values of Australian capital cities.

Usage

```
capital_cities
```

Format

A data frame with 8 rows and 3 variables:

points name of cities

longitude location of point in longitude degrees

latitude location of point in latitude degrees

closest_focal_point	<i>For the polygon provided, find the closest focal point in the set provided</i>
---------------------	---

Description

For one row of an sf data frame, calculate the distance to the closest focal point. Return the name of the focal point, and the angle between focal point and centroid.

Usage

```
closest_focal_point(centroid, focal_points)
```

Arguments

centroid a data frame describing one centroid

focal_points a data frame of the longitude and latitude values

Value

data frame containing the name and location of the closest focal

Examples

```
# Create a set of polygon centroids
centroids <- create_centroids(tas_sa2, "sa2_5dig_2016")

# Find the closest capital city for the first centroid
closest_focal_point(centroids[1, ], capital_cities)
```

create_buffer	<i>Expand points to extend beyond the outermost centroids</i>
---------------	---

Description

Called from within create_grid function, this function takes the bounding box of a group of polygons, or a specific table of minimum and maximum longitudes and latitudes to create points for each polygon to be allocated to that will tessellate into hexagons.

Usage

```
create_buffer(centroids, grid, hex_size, buffer_dist, verbose = FALSE)
```

Arguments

centroids	data frame of centroids to be allocated
grid	data frame of hexagon centroids
hex_size	a float value in degrees for the diameter of the hexagons
buffer_dist	distance to extend beyond the geometry provided
verbose	a boolean to indicate whether to show function progress

Value

data frame of hexagon centroids

Examples

```
lga_centroids <- create_centroids(sugarbag::tas_lga, "lga_code_2016")
lga_grid <- create_grid(lga_centroids, hex_size = 0.2, buffer_dist = 1.2)
```

create_centroids	<i>Create a data frame of longitude and latitude centroids of each polygon.</i>
------------------	---

Description

Create a data frame of longitude and latitude centroids of each polygon.

Usage

```
create_centroids(shp_sf, sf_id, largest = TRUE, verbose = FALSE)
```

Arguments

shp_sf	an sf object, a data set with a simple feature list column
sf_id	a string to indicate the column to identify individual polygons
largest	logical; for st_centroid: if TRUE, return centroid of the largest subpolygon of a MULTIPOLYGON rather than the whole MULTIPOLYGON
verbose	a boolean to indicate whether to show function progress

Value

a tibble containing longitude and latitude

Examples

```
centroids <- create_centroids(tas_lga, "lga_code_2016")
```

create_grid	<i>Create a grid of evenly spaced points to allow hexagons to tessellate</i>
-------------	--

Description

This function takes the output from the create_centroids function, or a set of centroids in a table with the columns latitude and longitude

Usage

```
create_grid(
  centroids,
  hex_size,
  buffer_dist,
  latitude = "latitude",
  longitude = "longitude",
  verbose = FALSE
)
```

Arguments

centroids	data frame of centroids to be allocated, this should have columns for longitude and latitude value of centroids, as
hex_size	a float value in degrees for the diameter of the hexagons
buffer_dist	distance to extend beyond the geometry provided
latitude	the column name for the latitude values of the centroids
longitude	the column name for the longitude values of the centroids
verbose	a boolean to indicate whether to show function progress

Value

grid

Examples

```
# Create a set of centroids for grid to overlay
centroids <- create_centroids(tas_lga, "lga_code_2016")
# Create the grid
grid <- create_grid(centroids = centroids, hex_size = 0.2, buffer_dist = 1.2, verbose = FALSE)
```

create_hexmap

*Create a tessellated hexagon map from a set of polygons***Description**

Allocates each polygon in a shape file to a grid point to create a map of tessellated hexagons. The spatial relationships of areas are preserved while the geographic shape of each area is lost.

Usage

```
create_hexmap(
  shp,
  sf_id,
  hex_size = NULL,
  buffer_dist = NULL,
  hex_filter = 10,
  f_width = 30,
  focal_points = NULL,
  order_sf_id = NULL,
  export_shp = FALSE,
  verbose = FALSE
)
```

Arguments

shp	a shape file, if class is SPDF, will be converted to sf
sf_id	name of a unique column that distinguishes areas
hex_size	a float value in degrees for the diameter of the hexagons
buffer_dist	distance in degrees to extend beyond the geometry provided
hex_filter	amount of hexagons around centroid to consider
f_width	the angle used to filter the grid points around a centroid
focal_points	a data frame of reference locations when allocating hexagons, capital cities of Australia are used in the example
order_sf_id	a string name of a column to order by for allocating
export_shp	export the simple features set
verbose	a boolean to indicate whether to show function progress

Value

a data set containing longitude and latitude of allocated hexagon points for each non null geometry passed in the shape file

Examples

```
data(tas_lga)
# Smaller set for faster example
tas_lga_sub <- tas_lga[1:10,]
data(capital_cities)
hexmap <- create_hexmap(
  shp = tas_lga_sub,
  sf_id = "lga_code_2016",
  hex_filter = 3,
  focal_points = capital_cities,
  verbose = TRUE)
```

<code>filter_grid_points</code>	<i>Filter full set of grid points for those within range of original point</i>
---------------------------------	--

Description

Takes only the closest available gridpoints as possible hexagon centroids to allocate polygons.

Usage

```
filter_grid_points(
  f_grid,
  f_centroid,
  focal_points = NULL,
  f_dist = filter_dist,
  angle_width = width,
  h_size = hex_size
)
```

Arguments

<code>f_grid</code>	complete grid of hexagon centroids
<code>f_centroid</code>	the longitude and latitude values for the current centroid
<code>focal_points</code>	a tibble of focal locations, an optional argument that allows allocation of polygons to hexagon centroids in ascending order of the distance to the closest focal point. It also filters the grid points to those within a 30 degree range of the angle from focal point to centroid. The default "capitals" uses the locations of the Australian capital cities as focal points.
<code>f_dist</code>	a distance in degrees, used as a boundary to filter the hexagon centroids considered for each polygon centroid to be allocated.

angle_width a numeric used to filter the hexagon grid
 h_size a float value in degrees for the diameter of the hexagons

Value

a tibble of filtered grid points

fortify_hexagon *Creates the points that define a hexagon polygon for plotting*

Description

Creates the points that define a hexagon polygon for plotting

Usage

```
fortify_hexagon(data, sf_id, hex_size)
```

Arguments

data a data frame created by the allocate function
 sf_id a string to indicate the column to identify individual polygons
 hex_size a float value in degrees for the diameter of the hexagons

Value

a data frame of the seven points used to draw a hexagon

Examples

```
# same column is used in create_centroids
fortify_hexagon(data = tas_lga_hexctr, sf_id = "lga_code_2016", hex_size = 0.2)
```

fortify_sfc *Convert a simple features tibble to tibble for plotting.*

Description

This will contain individual points for plotting the polygon, indicating the longitude and latitude, order of points, if a hole is present, the piece, id and group.

Usage

```
fortify_sfc(sfc_df, keep = NULL)
```

Arguments

sfc_df a simple features data set
 keep ratio of points to keep

Value

a tibble point of long lat points used to plot polygons

fp19	<i>2019 Australian Federal election data: First preference votes for candidates (House of Representatives) in each electorate.</i>
------	--

Description

A dataset containing first preference vote counts, candidate names, and other results for the House of Representatives from the 2016 Australian federal election. The data were obtained from the Australian Electoral Commission, and downloaded from <https://results.aec.gov.au/24310/Website/Downloads/HouseFirstPrefsByPartyDownload-24310.csv>

Usage

fp19

Format

A data frame with the following variables:

- StateAbAbbreviation for state name
- UniqueIDnumeric identifier that links the electoral division with Census and other election datasets.
- DivisionNmElectoral division name
- BallotPositionCandidate's position on the ballot
- CandidateIDCandidate ID
- SurnameCandidate surname
- GivenNmCandidate given name
- PartyAbAbbreviation for political party name
- PartyNmPolitical party name
- ElectedWhether the candidate was elected (Y/N)
- HistoricElectedWhether the candidate is the incumbent member
- OrdinaryVotesNumber of ordinary votes cast at the electorate for the candidate
- PercentPercentage of ordinary votes for the candidate

geom_sugarbag	<i>geom_sugarbag</i>
---------------	----------------------

Description

geom_sugarbag() provides a convenient way to create tessellated hexagon maps using the sugarbag algorithm.

Usage

```
geom_sugarbag(
  mapping = NULL,
  data = NULL,
  stat = "sugarbag",
  position = "identity",
  hex_size = 0.2,
  na.rm = FALSE,
  ...
)
```

Arguments

mapping	Set of aesthetic mappings created by aes() . If specified and inherit.aes = TRUE (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If NULL, the default, the data is inherited from the plot data as specified in the call to ggplot() . A data.frame, or other object, will override the plot data. All objects will be fortified to produce a data frame. See fortify() for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a data.frame, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
stat	The statistical transformation to use on the data for this layer, either as a ggproto Geom subclass or as a string naming the stat stripped of the stat_ prefix (e.g. "count" rather than "stat_count")
position	Position adjustment, either as a string naming the adjustment (e.g. "jitter" to use position_jitter), or the result of a call to a position adjustment function. Use the latter if you need to change the settings of the adjustment.
hex_size	Default is 0.2. Units are degrees, corresponding to the diameter of the hexagons. See ?allocate .
na.rm	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.

... Other arguments passed on to `layer()`. These are often aesthetics, used to set an aesthetic to a fixed value, like `colour = "red"` or `size = 3`. They may also be parameters to the paired geom/stat.

Details

Create a sugarbag hex map

The sugarbag algorithm creates a hexagon tile map from spatial polygons. It represents each polygon with a hexagon, which is placed close to the polygon's centroid while also maintaining its spatial relationship to a focal point.

If `geom_sugarbag()` is used to make a map of Australia, the capital cities will be used as focal points. For non-Australian maps, a single focal point will be inferred from the data, as the centroid with the smallest total distance to its three nearest neighbours. To specify focal points manually, construct your hexagon grid manually – see `?allocate`.

See Also

`allocate`, `ggplot2::geom_polygon`

Examples

```
library(ggplot2)
# Map of Tasmanian local govt areas using built-in data
tas_lga %>%
  ggplot(aes(fill = lga_name_2016)) +
  geom_sf(alpha = 0.1) +
  geom_sugarbag(aes(geometry = geometry)) +
  theme(legend.position = "none")

# Map of SIDS data from North Carolina
if (requireNamespace("sf", quietly = TRUE)) {
  nc <- sf::st_read(system.file("shape/nc.shp", package = "sf"), quiet = TRUE)

  ggplot(nc,
    aes(fill = AREA)) +
    geom_sf(alpha = 0.1) +
    geom_sugarbag(aes(geometry = geometry))
  }
```

homeless

The amount of homeless people in each Statistical Area at Level 2 in 2016.

Description

A data frame of the Statistical Area at Level 2 names and amount of homeless

Usage

homeless

Format

A data frame with 545 rows and 2 variables:

homeless amount of homeless people

sa2_name_2016 name of the Statistical Area at Level 2

read_shape	<i>Read in the shape file as sf object</i>
------------	--

Description

read_shape

Usage

```
read_shape(shp_path, simplify = TRUE, keep = 0.1)
```

Arguments

shp_path character vector location of shape file, extension .shp

simplify a boolean to decide whether to simplify the shape file using rmapshaper, keeping all shapes.

keep ratio of points to keep

Value

an sf data frame, with a column of non null geometries

Examples

```
# Example of how a shape file is read
if (interactive()) {
  shape <- read_shape(shp_path = file.choose())
}
```

tas_lga	<i>The polygons of Tasmanian Local Government Areas in 2016.</i>
---------	--

Description

A simple features dataset containing the polygons for all Australian LGAs in 2016.

Usage

tas_lga

Format

A simple features data frame with 39 rows and 6 variables:

lga_code_2016 code for the Local Government Area

lga_name_2016 name of the Local Government Area

ste_code_2016 code for the state containing the Local Government Area

ste_name_2016 name of the state containing the Local Government Area

areasqkm_2016 area contained in the polygon

geometry describes where on Earth the polygon is located

tas_lga_hexctr	<i>The hexagon centres for polygons of Tasmanian Local Government Areas in 2016.</i>
----------------	--

Description

A tibble dataset containing the processed data for all Australian LGAs in 2016. Each point corresponds to hexagon centre.

Usage

tas_lga_hexctr

Format

A simple features data frame with 39 rows and 6 variables:

lga_code_2016 code for the Local Government Area

longitude, latitude polygon centroid

points, focal_longitude, focal_latitude, focal_dist, focal_angle Focal point (capital city) information used for each polygon/hexagon

rownumber row number, in case it can be useful

hex_long, hex_lat, hex_id hexagon centre and id

tas_sa2

The polygons of Tasmanian Statistical Areas in 2016.

Description

A simple features dataset containing the polygons for all Tasmanian SA2s in 2016.

Usage

tas_sa2

Format

A simple features data frame with 99 rows and 15 variables:

sa2_main_2016 complete code of the Statistical Area

sa2_5dig_2016 simple code for the Statistical Area

sa2_name_2016 name of the Statistical Area

sa3_code_2016 code for the SA3 containing the Statistical Area

sa3_name_2016 name of the SA3 containing the Statistical Area

sa4_code_2016 code for the SA4 containing the Statistical Area

sa4_name_2016 name of the SA4 containing the Statistical Area

gcc_code_2016 code for the Greater Capital City region containing the Statistical Area

gcc_name_2016 name of the Greater Capital City region containing the Statistical Area

ste_code_2016 code for the state containing the Statistical Area

ste_name_2016 name of the state containing the Statistical Area

areasqkm_2016 area contained in the polygon

id distinguishes SA2 regions

population amount of people living within the region

sa2_code_2016 code of the Statistical Area

Index

* datasets

- capital_cities, 3
- fp19, 10
- homeless, 12
- tas_lga, 14
- tas_lga_hexctr, 14
- tas_sa2, 15

aes(), 11

allocate, 2

capital_cities, 3

closest_focal_point, 4

create_buffer, 5

create_centroids, 5

create_grid, 6

create_hexmap, 7

filter_grid_points, 8

fortify(), 11

fortify_hexagon, 9

fortify_sfc, 9

fp19, 10

geom_sugarbag, 11

ggplot(), 11

homeless, 12

layer(), 12

read_shape, 13

tas_lga, 14

tas_lga_hexctr, 14

tas_sa2, 15